

Hardware-Preisliste

Währung: CZK · DE

⚠ Alle Preise verstehen sich ohne MwSt. Die geltenden Mehrwertsteuersätze finden Sie im Shop-Checkout.

Synchronisiert von Shoptet: 2026-08-19 15:03 UTC

1 · Steuereinheit und I/O-Module

PRODUKT	CODE	PREIS
 12 LED / OC Module tailored for LED strips dimming. 12 channels are enough to support 4 RGBW strips from a single module. The module allows control...	TH-12LED/OC-DIN-2.1	5.332 Kč
 12 DO 12 UI The most compact module on the market. A combination of 12 universal relay outputs and 12 universal inputs makes it a true space saver and offers exceptional value for money...	TH-12D0-12UI-DIN-1.1	8.254 Kč
	TH-12D0-12UI-DIN-2.0	8.254 Kč
 12 DO A powerful relay output module with industrial-grade protection. Multiple temperature sensors near the relays prevent overheating. The module's software ensures the total...	TH-12D0-DIN-2.2	6.306 Kč
	TH-12D0-DIN-3.0	6.306 Kč
 16 DO 16-channel potential-free relay module (16 A) with thermal protection. Each output is universal – switching, shutter control, or...	TH-16D0-DIN-1.0	6.306 Kč
 2 UI The module translates input information into internal bus communication. This enables large-scale installations with many inputs...	TH-2UI-FM-1.2	1.583 Kč
 32 UI Flexible input module. Every single input terminal can be configured for any type of input. As a result, all inputs on the module are used.	TH-32UI-DIN-1.0	7.037 Kč
 4 AO A 0-10V analog signal is used to control air conditioning or lighting.	TH-4AO-DIN-2.0	3.871 Kč
 4 Dim Dimmer for 230 VAC LED lights or dimmable LED bulbs.	TH-4DIM-DIN-1.2	4.845 Kč
 4-Channel LED/OC Module Four-channel PWM LED module for constant voltage. Outputs configurable as 4 independent channels, 2 channels for tunable white, or 1...	TH-4LED/OC-DIN-1.0	1.826 Kč
 4 UI / 2 DO With this module, power cables can be run like in a classic electric installation. It leads to a combined saving on both the cables and...	TH-4UI2D0-FM-1.2	2.557 Kč
 6 UI The module translates temperature sensor information and push button inputs into internal bus communication. Daisy chain wiring topology...	TH-6UI-FM-1.2	2.191 Kč

PRODUKT	CODE	PREIS
 6 UI / 6 UO The module translates temperature sensor information and push button inputs into internal bus communication. Daisy chain wiring topology...	TH-6UI-6UO-FM-2.0	2.313 Kč
 Bus Extender The Bus Extender connects to the Core via USB and adds 4 bus ports to the system: 2 non-isolated and 2 galvanically isolated. It also...	BUS-EXTENDER-DIN-1.1	4.358 Kč
 Core Core is the control unit, the brain of the system. The three bus terminals on the Core are configurable for the TapHome bus or for Modbus without the need for additional...	TH-CORE-DIN-2.1	8.498 Kč
	TH-CORE-DIN-2.1B	8.498 Kč

2 · Steuerung mit Display



Controller with display

A universal input device serving as a thermostat, blinds controller, light switch and much more. Attention: The mounting plate must be ordered separately.

SET AB
2.411 Kč

1

Controller with display

TYP	 AN	 BE	 BK	 WH
MZC	4.845 Kč	4.845 Kč	4.845 Kč	4.845 Kč
SZC	3.628 Kč	3.628 Kč	3.628 Kč	3.628 Kč
TC	2.411 Kč	2.411 Kč	2.411 Kč	2.411 Kč

2

Montagerahmen · eines wählen · 5er-Pack

Set of mounting plates (5 pcs)	5-FRAME-SINGLE-PRODUCT	144 Kč / 5x
Set of mounting plates in multi-frame (5 pcs)	5-FRAME-MULTI-PRODUCT	168 Kč / 5x

3 · Touchschalter Gen 2



Base for smart switch

Base unit to which a decorative cover is attached. The buttons are configurable to control lights or blinds. Includes temperature and humidity sensors. Dimmable night light...

SET AB
1.047 Kč

1 Base for smart switch

LAYOUT · CO ₂	BASIS	TOP COVER FOR SMART SWITCH			
		AN	BE	BK	WH
1 Taste	1.047 Kč	341 Kč	341 Kč	341 Kč	341 Kč
2 Tasten	1.144 Kč	341 Kč	341 Kč	341 Kč	341 Kč
4 Tasten	1.631 Kč	341 Kč	341 Kč	341 Kč	341 Kč
5 Tasten	1.875 Kč	341 Kč	341 Kč	341 Kč	341 Kč
5 Tasten CO ₂	3.336 Kč	390 Kč	390 Kč	390 Kč	390 Kč
6 Tasten	2.362 Kč	341 Kč	341 Kč	341 Kč	341 Kč
6 Tasten CO ₂	3.823 Kč	390 Kč	390 Kč	390 Kč	390 Kč

2 Montagerahmen · eines wählen · 5er-Pack

Set of mounting plates (5 pcs)	5-FRAME-SINGLE-PRODUCT	144 Kč / 5×
Set of mounting plates in multi-frame (5 pcs)	5-FRAME-MULTI-PRODUCT	168 Kč / 5×

4 · Mehrfachrahmen



Multi-frame assembly kit

Design connecting posts needed to build a multi-frame. Mounting plates are not included - must be ordered separately.

SET AB
95 Kč

1 Multi-frame assembly kit

GRÖSSE	AN	BK	WH
2er Rahmen	119 Kč	119 Kč	95 Kč
3er Rahmen	144 Kč	144 Kč	119 Kč
4er Rahmen	168 Kč	168 Kč	144 Kč

2 Montagerahmen · eines wählen · 5er-Pack

Set of mounting plates in multi-frame (5 pcs)	5-FRAME-MULTI-PRODUCT	168 Kč / 5×
Set of mounting plates for Legrand Mosaic in multi-frame (5 pcs)	5-FRAME-MULTI-MOSAIC	168 Kč / 5×

PRODUKT	CODE	PREIS
 Connector for Kopos installation boxes The connector is used to securely join two Kopos installation boxes KP 68/D_KA or KPR 68/D_KA at the correct spacing. Ensures easy and...	KOPOS-KP_KPR-CONNECT	56 Kč
 Installation template for multi-frame It is used for the precise installation of junction boxes on the wall in order to maintain the correct distances between the boxes.	MULTIFRAME-TEMPLATE_2X	122 Kč
	MULTIFRAME-TEMPLATE_3X	146 Kč
	MULTIFRAME-TEMPLATE_4X	195 Kč

5 · Steckdose

**Socket frame**

SET AB
341 Kč

Stylish socket frame is made of the same material as switches and controls and is dimensionally compatible with them. Attention: The mounting plate must be ordered separately.

1 Socket frame

PRODUKT	AL	AN	BE	BK	WH
Socket frame Basis	—	341 Kč	341 Kč	341 Kč	341 Kč
rj45_cat6a Sockets (10pcs)	396 Kč	—	—	396 Kč	326 Kč
fr_2pt Sockets (10pcs)	1.120 Kč	—	—	1.035 Kč	921 Kč
schuko_2pt Sockets (10pcs)	1.120 Kč	—	—	1.035 Kč	921 Kč

2 Montagerahmen · eines wählen · 5er-Pack

Set of mounting plates for Legrand Mosaic (5 pcs)	5-FRAME-SINGLE-MOSAIC	144 Kč / 5x
Set of mounting plates for Legrand Mosaic in multi-frame (5 pcs)	5-FRAME-MULTI-MOSAIC	168 Kč / 5x

6 · Sensoren

PRODUKT	CODE	PREIS
 Air Humidity and Temperature Sensor Typical condensation sensors can not provide zone regulation, they are slow to respond and as a result, the cooling performance is...	EXT-HUMIDITY REV.1.1	609 Kč
 CO2 Sensor The only air quality sensor on the market with hidden installation – no bulky plastic boxes on the wall! Connection via the EXT terminal...	EXT-C02-2.1	2.167 Kč
 Presence sensor A top-tier sensor for detecting motion and presence in a room. Thanks to bus communication, the entire configuration and diagnostics can be performed remotely, and the sensor...		

PRODUKT	CODE	PREIS
	TH-PRESENCEFM-DUAL-CO2-WHITE-1.1	3.385 Kč
	TH-PRESENCEFM-DUAL-WHITE-1.1	1.924 Kč
	TH-PRESENCEFM-RADAR-WHITE-1.1	1.193 Kč
 Rain Volume Sensor Rain volume sensor provides additional data for proper irrigation of a garden.	DI-RAIN-COUNTER	1.193 Kč
 Temperature sensors		
	10-NTC-TEMP-AIR-BLACK	1.704 Kč
	10-NTC-TEMP-AIR-WHITE	1.704 Kč
	10-NTC-TEMP-FLOOR	3.847 Kč
	NTC-TEMP-105DEG	609 Kč
	NTC-TEMP-250DEG	852 Kč
 Flood sensor The sensor indicates the flooding of basements, bathrooms, etc. Active flood sensor, preventing electrode corrosion.	UI-FL00D-SENSOR-1.0	1.193 Kč
 Ultrasonic tank level sensor Suitable for retention tanks and septic tanks. Communication via Modbus RTU.		
	CWT-ULS-M	730 Kč
	CWT-ULS-S-10M	5.332 Kč
 Wind-Brightness-Temperature Sensor Protects blinds from strong wind and measures sunlight. Popular Somfy enclosure connected to TapHome internal bus. Configurable via...	TH-METEO-WM-3.2	5.576 Kč

7 · Zugangssystem und Beleuchtung

PRODUKT	CODE	PREIS
 DALI Gateway Communication interface for lights with DALI ballasts.	RESI-DALI-MODBUS	7.280 Kč
 DALI power supply Power supply for DALI bus in DIN rail version.	DLP-04R	1.437 Kč
 Electronic card Mifare Contactless Electronic Card for access control.	MF CARD	73 Kč
 Card Reader Card reader supporting Wiegand protocol for convenient access control. Possibility to manage access remotely.	DS-K1108AM	1.217 Kč
 Card reader with PIN Card reader with PIN keypad supporting Wiegand protocol.	DS-K1108AMK	1.704 Kč
 Intesis DALI gateway Communication interface for lamps with DALI ballast.	IN703DAL0640000	20.453 Kč
 Electronic Key Ring Mifare Contactless Electronic Key Ring for access control.	MF KEY	73 Kč
 Wiegand Gateway All-in-one communication interface for access control. The gateway has Wiegand terminals for integration of card readers, keypads or...	TH-2W-2DI-2DO-FM-1.0	2.898 Kč

8 · Zubehör

PRODUKT	CODE	PREIS
 Adapter M28*1.5mm (10pcs) Adapter for mounting of thermo heads on 28mm diameter thread and 1.5mm valve lift.	10-THERMAL-ACTUATOR-ADAPTER	365 Kč
 2 DIN rail enclosure Two-module box designed for DIN rail mounting.	TH-2-DIN-BOX	195 Kč
 Motorized ball valve Servo valve head for controlling the main water supply (NO) or irrigation (NC).	D0-BALL-VALVE-1INCH-NC	1.193 Kč
	D0-BALL-VALVE-1INCH-NO	1.193 Kč
 Eastron SDM Electric Meters Energy meter with Modbus communication. Single-phase or three-phase, with bidirectional kW and kWh measurement; 4-quadrant, suitable for photovoltaics.	EASTRON-SDM120-MODBUS	950 Kč
	EASTRON-SDM630-MODBUS-V3	2.898 Kč
	EASTRON-SDM72D-MODBUS-V2	1.680 Kč
 Surge arrester for LAN networks Protection of the control unit against overvoltages during storms, necessary for a DSL Internet connection.	PTF-51-EC0-P0E	782 Kč
 Modbus to LAN converter Transmission of Modbus communication via Ethernet or Wifi.	PROTOSS-PE11	852 Kč
	PROTOSS-PW11	852 Kč
 RS485 Optical Isolator Optical isolator supports bi-directional "half-duplex" transmission for RS485 networks. Optical isolator protects TapHome control unit...	EW-485/1/2/S0	1.437 Kč
 Power Source 24V Professional DIN rail power supply 24V DC for TapHome and building automation. Available in 3 power variants: 60W, 100W and 150W.	TH-PWR-100W-24V	706 Kč
	TH-PWR-150W-24V	828 Kč
	TH-PWR-60W-24V	621 Kč
 Wall Mount Adapter for Presence FM Sensor Designed for wall installation of the Presence FM sensor when a plasterboard ceiling for flush mounting is not available.	PRESENCEFM-WM-ADAPTER	338 Kč
 Installation box for presence sensor Flush-mounted installation box with a diameter of 50 mm.	PRESENCEFM-BOX-50	27 Kč
 Black cover for the Presence FM sensor Instructions: Unscrew the original white cover and screw on the black one. Available in 2 variants: - Variant for Presence FM Dual and Presence FM Dual+CO2 versions -...	PRESENCEFM-DUAL-COVER-BLACK	207 Kč
	PRESENCEFM-RADAR-COVER-BLACK	207 Kč
 PWM to AO adapter Used when only a single 0-10V analog output is required.	PWM TO AO ADAPTER	1.096 Kč

PRODUKT	CODE	PREIS
 Relay, 12A Relay 1DIN, replaceable, long-term load 12A, short-term 16A. 24VDC on the coil.	0C-RELAY-16A-DIN-HF	292 Kč
 Thermal actuator Thermal actuator for controlling zone heating and cooling valves.	THERMAL-ACTUATOR-230V	536 Kč
	THERMAL-ACTUATOR-24V	536 Kč
	THERMAL-ACTUATOR-MANUAL-230V	852 Kč
	THERMAL-ACTUATOR-MANUAL-24V	852 Kč
 Three phase electric meter The Orno OR-WE-517 is a modern, MID-certified energy meter designed for precise billing and sub-billing in residential and commercial...	MODBUS-3PHASE-METER-DIN	2.167 Kč
 Universal box KOPOS device boxes for TapHome touch switch installation. Available in brick/concrete (flush mount) or drywall (hollow wall) variants.	KOPOS KP 68/D_KA	17 Kč
	KOPOS KPR 68/D_KA	38 Kč
	KOPOS KPRL 68-70/LD_NA	83 Kč
	KOPOS KUL 68-45/LD_NA	39 Kč
 Delta AC MAX Car Charger A top-tier car charger with Modbus RTU connectivity. Control the charging power based on photovoltaic surplus.	WALLBOX-11KW	12.150 Kč 14.585 Kč -16 %
	WALLBOX-22KW	17.020 Kč

Alle Preise verstehen sich ohne MwSt. Die geltenden Mehrwertsteuersätze finden Sie im Shop-Checkout.

Synchronisiert von Shoptet: 2026-08-19 15:03 UTC