












Hardware-Preisliste




Währung: EUR · DE

⚠ Alle Preise verstehen sich ohne MwSt. Die geltenden Mehrwertsteuersätze finden Sie im Shop-Checkout.


Synchronisiert von Shoptet: 2026-04-15 20:06 UTC

1 · Steuereinheit und I/O-Module

PRODUKT	CODE	PREIS
 12 LED / OC Module tailored for LED strips dimming. 12 channels are enough to support 4 RGBW strips from a single module. The module allows control...	TH-12LED/OC-DIN-2.1	219 €
 12 DO 12 UI The most compact module on the market. A combination of 12 universal relay outputs and 12 universal inputs makes it a true space saver and offers exceptional value for money...	TH-12DO-12UI-DIN-1.1	339 €
	TH-12DO-12UI-DIN-2.0	339 €
 12 DO A powerful relay output module with industrial-grade protection. Multiple temperature sensors near the relays prevent overheating. The module's software ensures the total...	TH-12DO-DIN-2.2	259 €
	TH-12DO-DIN-3.0	259 €
 16 DO 16-channel potential-free relay module (16 A) with thermal protection. Each output is universal – switching, shutter control, or...	TH-16DO-DIN-1.0	259 €
 2 UI The module translates input information into internal bus communication. This enables large-scale installations with many inputs...	TH-2UI-FM-1.2	65 €
 32 UI Flexible input module. Every single input terminal can be configured for any type of input. As a result, all inputs on the module are used.	TH-32UI-DIN-1.0	289 €
 4 AO A 0-10V analog signal is used to control air conditioning or lighting.	TH-4AO-DIN-2.0	159 €
 4 Dim Dimmer for 230 VAC LED lights or dimmable LED bulbs.	TH-4DIM-DIN-1.2	199 €
 4-Channel LED/OC Module Four-channel PWM LED module for constant voltage. Outputs configurable as 4 independent channels, 2 channels for tunable white, or 1...	TH-4LED/OC-DIN-1.0	75 €
 4 UI / 2 DO With this module, power cables can be run like in a classic electric installation. It leads to a combined saving on both the cables and...	TH-4UI2DO-FM-1.2	105 €
 6 UI The module translates temperature sensor information and push button inputs into internal bus communication. Daisy chain wiring topology...	TH-6UI-FM-1.2	90 €

PRODUKT	CODE	PREIS
 6 UI / 6 UO The module translates temperature sensor information and push button inputs into internal bus communication. Daisy chain wiring topology...	TH-6UI-6UO-FM-2.0	95 €
 Bus Extender The Bus Extender connects to the Core via USB and adds 4 bus ports to the system: 2 non-isolated and 2 galvanically isolated. It also...	BUS-EXTENDER-DIN-1.1	179 €
 Core Core is the control unit, the brain of the system. The three bus terminals on the Core are configurable for the TapHome bus or for Modbus without the need for additional...	TH-CORE-DIN-2.1	349 €
TH-CORE-DIN-2.1B		349 €

2 · Steuerung mit Display



Controller with display

A universal input device serving as a thermostat, blinds controller, light switch and much more. Attention: The mounting plate must be ordered separately.

SET AB

99 €

1 Controller with display

TYP	<input checked="" type="radio"/> AN	<input type="radio"/> BE	<input type="radio"/> BK	<input type="radio"/> WH
MZC	199 €	199 €	199 €	199 €
SZC	149 €	149 €	149 €	149 €
TC	99 €	99 €	99 €	99 €

2 Montagerahmen · eines wählen · 5er-Pack

Set of mounting plates (5 pcs)	5-FRAME-SINGLE-PRODUCT	6 € / 5x
Set of mounting plates in multi-frame (5 pcs)	5-FRAME-MULTI-PRODUCT	7 € / 5x

3 · Touchschalter Gen 2



Base for smart switch

Base unit to which a decorative cover is attached. The buttons are configurable to control lights or blinds. Includes temperature and humidity sensors. Dimmable night light...

SET AB
43 €

1 Base for smart switch

LAYOUT · CO ₂	BASIS	TOP COVER FOR SMART SWITCH			
		● AN	● BE	● BK	○ WH
1 Taste	43 €	14 €	14 €	14 €	14 €
2 Tasten	47 €	14 €	14 €	14 €	14 €
4 Tasten	67 €	14 €	14 €	14 €	14 €
5 Tasten	77 €	14 €	14 €	14 €	14 €
5 Tasten CO ₂	137 €	16 €	16 €	16 €	16 €
6 Tasten	97 €	14 €	14 €	14 €	14 €
6 Tasten CO ₂	157 €	16 €	16 €	16 €	16 €

2 Montagerahmen · eines wählen · 5er-Pack

Set of mounting plates (5 pcs)	5-FRAME-SINGLE-PRODUCT	6 € / 5x
Set of mounting plates in multi-frame (5 pcs)	5-FRAME-MULTI-PRODUCT	7 € / 5x

4 · Mehrfachrahmen



Multi-frame assembly kit

Design connecting posts needed to build a multi-frame. Mounting plates are not included - must be ordered separately.



SET AB
4 €

1 Multi-frame assembly kit


GRÖSSE	● AN	● BK	○ WH
2er Rahmen	5 €	5 €	4 €
3er Rahmen	6 €	6 €	5 €
4er Rahmen	7 €	7 €	6 €

2 Montagerahmen · eines wählen · 5er-Pack

Set of mounting plates in multi-frame (5 pcs)	5-FRAME-MULTI-PRODUCT	7 € / 5x
Set of mounting plates for Legrand Mosaic in multi-frame (5 pcs)	5-FRAME-MULTI-MOSAIC	7 € / 5x

PRODUKT	CODE	PREIS
 Connector for Kopos installation boxes The connector is used to securely join two Kopos installation boxes KP 68/D_KA or KPR 68/D_KA at the correct spacing. Ensures easy and...	KOPOS-KP_KPR-CONNECT	2 €
 Installation template for multi-frame It is used for the precise installation of junction boxes on the wall in order to maintain the correct distances between the boxes.	MULTIFRAME-TEMPLATE_2X	5 €
	MULTIFRAME-TEMPLATE_3X	6 €
	MULTIFRAME-TEMPLATE_4X	8 €

5 · Steckdose



Socket frame

Stylish socket frame is made of the same material as switches and controls and is dimensionally compatible with them. Attention: The mounting plate must be ordered separately.

SET AB

14 €

1

Socket frame



PRODUKT	● AL	● AN	● BE	● BK	○ WH
Socket frame Basis	—	14 €	14 €	14 €	14 €
rj45_cat6a Sockets (10pcs)	16 €	—	—	16 €	13 €
fr_2pt Sockets (10pcs)	46 €	—	—	42 €	38 €
schuko_2pt Sockets (10pcs)	46 €	—	—	42 €	38 €

2

Montagerahmen · eines wählen · 5er-Pack






Set of mounting plates for Legrand Mosaic (5 pcs)	5-FRAME-SINGLE-MOSAIC	6 € / 5x
Set of mounting plates for Legrand Mosaic in multi-frame (5 pcs)	5-FRAME-MULTI-MOSAIC	7 € / 5x

6 · Sensoren









PRODUKT	CODE	PREIS
 CO2 Sensor The only air quality sensor on the market with hidden installation – no bulky plastic boxes on the wall! Connection via the EXT terminal...	EXT-C02-2.1	89 €
 Presence sensor A top-tier sensor for detecting motion and presence in a room. Thanks to bus communication, the entire configuration and diagnostics can be performed remotely, and the sensor...	TH-PRESENCEFM-DUAL-C02-WHITE-1.1	139 €
	TH-PRESENCEFM-DUAL-WHITE-1.1	79 €

Hardware-Preisliste · Synchronisiert von Shoptet 2026-04-15 20:06 UTC













4/7






PRODUKT	CODE	PREIS
TH-PRESENCEFM-RADAR-WHITE-1.1		49 €
 Rain Volume Sensor Rain volume sensor provides additional data for proper irrigation of a garden.	DI-RAIN-COUNTER	49 €
 Temperature sensors		
	10-NTC-TEMP-AIR-BLACK	70 €
	10-NTC-TEMP-AIR-WHITE	70 €
	10-NTC-TEMP-FLOOR	158 €
	NTC-TEMP-105DEG	25 €
NTC-TEMP-250DEG		35 €
 Flood sensor The sensor indicates the flooding of basements, bathrooms, etc. Active flood sensor, preventing electrode corrosion.	UI-FLOOD-SENSOR-1.0	49 €
 Ultrasonic tank level sensor Suitable for retention tanks and septic tanks. Communication via Modbus RTU.		
	CWT-ULS-M	30 €
CWT-ULS-S-10M		219 €
 Wind-Brightness-Temperature Sensor Protects blinds from strong wind and measures sunlight. Popular Somfy enclosure connected to TapHome internal bus. Configurable via...	TH-METE0-WM-3.2	229 €

7 · Zugangssystem und Beleuchtung

PRODUKT	CODE	PREIS
 DALI Gateway Communication interface for lights with DALI ballasts.	RESI-DALI-MODBUS	299 €
 DALI power supply Power supply for DALI bus in DIN rail version.	DLP-04R	59 €
 Electronic card Mifare Contactless Electronic Card for access control.	MF CARD	3 €
 Card Reader Card reader supporting Wiegand protocol for convenient access control. Possibility to manage access remotely.	DS-K1108AM	50 €
 Card reader with PIN Card reader with PIN keypad supporting Wiegand protocol.	DS-K1108AMK	70 €
 Intesis DALI gateway Communication interface for lamps with DALI ballast.	IN703DAL0640000	840 €
 Electronic Key Ring Mifare Contactless Electronic Key Ring for access control.	MF KEY	3 €
 Wiegand Gateway All-in-one communication interface for access control. The gateway has Wiegand terminals for integration of card readers, keypads or...	TH-2W-2DI-2DO-FM-1.0	119 €

8 · Zubehör

PRODUKT	CODE	PREIS
 Adapter M28*1.5mm (10pcs) Adapter for mounting of thermo heads on 28mm diameter thread and 1.5mm valve lift.	10-THERMAL-ACTUATOR-ADAPTER	15 €
 2 DIN rail enclosure Two-module box designed for DIN rail mounting.	TH-2-DIN-BOX	8 €
 Motorized ball valve Servo valve head for controlling the main water supply (NO) or irrigation (NC).	D0-BALL-VALVE-1INCH-NC	49 €
	D0-BALL-VALVE-1INCH-NO	49 €
 Eastron SDM Electric Meters Energy meter with Modbus communication. Single-phase or three-phase, with bidirectional kW and kWh measurement; 4-quadrant, suitable for photovoltaics.	EASTRON-SDM120-MODBUS	39 €
	EASTRON-SDM630-MODBUS-V3	119 €
	EASTRON-SDM72D-MODBUS-V2	69 €
 Surge arrester for LAN networks Protection of the control unit against overvoltages during storms, necessary for a DSL Internet connection.	PTF-51-ECO-POE	32 €
 Modbus to LAN converter Transmission of Modbus communication via Ethernet or Wifi.	PROTOSS-PE11	35 €
	PROTOSS-PW11	35 €
 RS485 Optical Isolator Optical isolator supports bi-directional "half-duplex" transmission for RS485 networks. Optical isolator protects TapHome control unit...	EW-485/1/2/S0	59 €
 Power Source 24V Professional DIN rail power supply 24V DC for TapHome and building automation. Available in 3 power variants: 60W, 100W and 150W.	TH-PWR-100W-24V	29 €
	TH-PWR-150W-24V	34 €
	TH-PWR-60W-24V	26 €
 Wall Mount Adapter for Presence FM Sensor Designed for wall installation of the Presence FM sensor when a plasterboard ceiling for flush mounting is not available.	PRESENCEFM-WM-ADAPTER	14 €
 Installation box for presence sensor Flush-mounted installation box with a diameter of 50 mm.	PRESENCEFM-BOX-50	1 €
 Black cover for the Presence FM sensor Instructions: Unscrew the original white cover and screw on the black one. Available in 2 variants: - Variant for Presence FM Dual and Presence FM Dual+CO2 versions -...	PRESENCEFM-DUAL-COVER-BLACK	8 €
	PRESENCEFM-RADAR-COVER-BLACK	8 €
 PWM to AO adapter Used when only a single 0-10V analog output is required.	PWM TO AO ADAPTER	45 €

PRODUKT	CODE	PREIS
 Relay, 12A Relay 1DIN, replaceable, long-term load 12A, short-term 16A. 24VDC on the coil.	0C-RELAY-16A-DIN-HF	12 €
 Thermal actuator Thermocouple for controlling zone heating and cooling valves.	THERMAL-ACTUATOR-230V	22 €
	THERMAL-ACTUATOR-24V	22 €
	THERMAL-ACTUATOR-MANUAL-230V	35 €
	THERMAL-ACTUATOR-MANUAL-24V	35 €
 Three phase electric meter The Orno OR-WE-517 is a modern, MID-certified energy meter designed for precise billing and sub-billing in residential and commercial...	MODBUS-3PHASE-METER-DIN	89 €
 Universal box KOPOS device boxes for TapHome touch switch installation. Available in brick/concrete (flush mount) or drywall (hollow wall) variants.	KOPOS KP 68/D_KA	1 €
	KOPOS KPR 68/D_KA	2 €
	KOPOS KPRL 68-70/LD_NA	3 €
	KOPOS KUL 68-45/LD_NA	2 €
 Delta AC MAX Car Charger A top-tier car charger with Modbus RTU connectivity. Control the charging power based on photovoltaic surplus.	WALLBOX-11KW	499 €
	WALLBOX-22KW	699 €

Alle Preise verstehen sich ohne MwSt. Die geltenden Mehrwertsteuersätze finden Sie im Shop-Checkout.

Synchronisiert von Shoptet: 2026-04-15 20:06 UTC